

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	711/216 and (partial with key).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L3	9	711/216 and (partial with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L4	19	711/216 and (partial with hash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L5	15	L4 not L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L6	24	(partial adj3 key) near15 hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L7	60	711/216 and 711/108	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L8	2	L7 and (partial near5 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L9	3	L7 and (partial with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12

## EAST Search History

L10	24	L7 and (key and hash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L11	9	L7 and (key and hash\$3 and partial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L12	156	(part adj3 key) with hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L13	76	(part adj3 key) with (hash\$3 adj6 (function or table or value))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L14	67	(part adj3 key\$1) with (hash\$3 adj6 (function\$1 or table\$1 or value\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/24 12:12
L15	2538	((part or partial) and key).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L16	4	((part or partial) and key and hash\$3).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L17	1	711/216 and (part adj3 key).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12

## EAST Search History

L18	20	711/216 and (part adj3 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L19	43	711/216 and (part adj5 hash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L20	9	711/216 and ((part adj5 hash\$3) near15 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L21	798	((part or partial) near6 key) and hash\$3) and (380/264 or 380/277 or 380/278 or 380/279 or 380/28\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L22	67	((part or partial) near6 key) with hash\$3) and (380/264 or 380/277 or 380/278 or 380/279 or 380/28\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L23	35	((part or partial) adj3 key) with hash\$3) and (380/264 or 380/277 or 380/278 or 380/279 or 380/28\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L24	679	711/216	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L25	8201	(CISCO TECHNOLOGY).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12

## EAST Search History

L26	3	L25 and (hash\$ with key with partial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L27	2	L25 and (hash\$ with (part adj4 key))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L31	0	(Galois and Fibonacci) with hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L32	94	(Galois and Fibonacci)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L33	3	(Galois and Fibonacci and hash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L34	30	(Fibonacci same hash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L35	152	(Fibonacci with (LFSR or shift register))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L36	81	(Fibonacci and Galois) with (LFSR or shift register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12

## EAST Search History

L37	56	(Fibonacci and Galois) with (LFSR)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L38	488	370/395.32	US-PGPUB; USPAT	ADJ	ON	2007/10/24 12:12
L39	6	L38 and ((partial or part) adj3 key)	US-PGPUB; USPAT	ADJ	ON	2007/10/24 12:12
L40	372	((content address\$4 memory) or CAM) with hash\$3	US-PGPUB; USPAT	ADJ	ON	2007/10/24 12:12
L41	53	((content address\$4 memory) or CAM) with hash\$3 with key	US-PGPUB; USPAT	ADJ	ON	2007/10/24 12:12
L42	0	((content address\$4 memory) or CAM) with hash\$3 with key with partial	US-PGPUB; USPAT	ADJ	ON	2007/10/24 12:12
L43	0	((content address\$4 memory) or CAM) with hash\$3 with key with part	US-PGPUB; USPAT	ADJ	ON	2007/10/24 12:12
L44	0	((content address\$4 memory) or CAM) with hash\$3 with key with split	US-PGPUB; USPAT	ADJ	ON	2007/10/24 12:12
L45	0	((content address\$4 memory) or CAM) with hash\$3 with key with half	US-PGPUB; USPAT	ADJ	ON	2007/10/24 12:12
L46	11	((content address\$4 memory) or CAM) with hash\$3 with key with portion	US-PGPUB; USPAT	ADJ	ON	2007/10/24 12:12
L47	10	((content address\$4 memory) or CAM) with hash\$3 with (key near4 portion)	US-PGPUB; USPAT	ADJ	ON	2007/10/24 12:12
L48	310	(compar\$3 adj4 key) and (compar\$3 adj4 hash)	US-PGPUB; USPAT	ADJ	ON	2007/10/24 12:12
L49	6	(compar\$3 adj4 key) and (compar\$3 adj4 hash) with (conflict or collision)	US-PGPUB; USPAT	ADJ	ON	2007/10/24 12:12
L50	25	(compar\$3 near5 partial near5 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12

## EAST Search History

L51	0	(compar\$3 near5 partial near5 key) with (collision or conflict\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L52	1	(compar\$3 adj4 key) and (compar\$3 adj4 hash) with (benefit or advantage)	US-PGPUB; USPAT	ADJ	ON	2007/10/24 12:12
L53	10	(compar\$3 adj4 key) with (conflict or collision)	US-PGPUB; USPAT	ADJ	ON	2007/10/24 12:12
L54	1	(Fibonacci and Galois) with (LFSR) with (benefit or advantage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L55	4	(Fibonacci and Galois) with (benefit or advantage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L56	29	reverse adj3 hash\$3 adj3 function	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L57	0	reverse adj5 hash\$3 adj5 function adj5 partial	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L58	0	reverse adj5 hash\$3 adj5 function adj5 part	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L59	0	reverse adj5 function adj5 partail	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12

## EAST Search History

L60	2	reverse adj5 function adj5 partial	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L61	14	(reverse near5 hash\$3) with (key near5 hash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L62	24	(reverse near5 (hash\$3 or function)) with (key near5 value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L63	6	(revers\$3 and hash\$3).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L64	2	partial with (hash or value) with key with reverse	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L66	2	(benefit or advantage) with (revers\$3 near5 hash\$4 near5 function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L69	394	hash near10 (send\$3 or sent or forward\$3 or trasmit\$4) near10 packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L70	80	(hash adj3 value) near10 (send\$3 or sent or forward\$3 or trasmit\$4) near10 packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12

## EAST Search History

L77	67	(part adj3 key\$1) with (hash\$3 adj6 (function\$1 or table\$1 or value\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/24 12:12
L78	16	(partial adj3 key\$1) with (hash\$3 adj6 (function\$1 or table\$1 or value\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/24 12:12
L79	67	((part or partial) near6 key) with hash\$3) and (380/264 or 380/277 or 380/278 or 380/279 or 380/28\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L80	331	((partial or portion) near3 key) and(hash\$3 near3 (conflict\$3 or collision))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L81	14	((partial or portion) near3 key) and(hash\$3 near3 (conflict\$3 or collision)) and 711/216.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L83	67	(part adj3 key\$1) with (hash\$3 adj6 (function\$1 or table\$1 or value\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/24 12:12
L84	67	((part or partial) near6 key) with hash\$3) and (380/264 or 380/277 or 380/278 or 380/279 or 380/28\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L85	14	((partial or portion) near3 key) and(hash\$3 near3 (conflict\$3 or collision)) and 711/216.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12



## EAST Search History

L86	134	L83 or L84 or L85	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L87	53	((content address\$4 memory) or CAM) with hash\$3 with key	US-PGPUB; USPAT	ADJ	ON	2007/10/24 12:12
L88	9	711/216 and (partial with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L89	43	711/216 and (part adj5 hash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L90	35	((part or partial) adj3 key) with hash\$3) and (380/264 or 380/277 or 380/278 or 380/279 or 380/28\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L91	80	(hash adj3 value) near10 (send\$3 or sent or forward\$3 or trasmit\$4) near10 packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L92	20	711/216 and (part adj3 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L93	60	711/216 and 711/108	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L94	19	711/216 and (partial with hash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12

## EAST Search History

L95	24	(partial adj3 key) near15 hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L96	25	(compar\$3 near5 partial near5 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L97	29	reverse adj3 hash\$3 adj3 function	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L98	67	(part adj3 key\$1) with (hash\$3 adj6 (function\$1 or table\$1 or value\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/24 12:12
L99	24	(reverse near5 (hash\$3 or function)) with (key near5 value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L100	212	(L2 L4 L7 L8 L9 L19 L22 L89 L93 L94 L3 L5 L6 L10 L11 L14 L16 L18 L20 L23 L26 L33 L34 L37 L39 L41 L46 L47 L49 L50 L53 L55 L56 L60 L61 L62 L63 L66 L70 L77 L78 L79 L81 L83 L84 L85 L87 L88 L90 L92 L95 L96 L97 L98 L99) and @pd>"20060105"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 12:12
L101	512	partial key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L102	0	partial key and 711/216.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12

## EAST Search History

L103	9	partial key with hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L104	71	((subset or sub set) near6 key) with hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L105	13	partial key with (half or majority)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L106	8782	cisco.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L107	479	hash\$3 and L106	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L108	119	(key with hash\$3) and L106	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L109	4	(L106 and ((partial or split) near6 key) with hash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L110	17	(key with hash\$3).ab. and L106	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12

## EAST Search History

L111	95	((partial or split) near6 key) with hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L112	90	((sub set or subset or substring or sub string) near6 key) with hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L113	86	L112 not L111	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L114	337	((patial or split or sub set or subset or substring or sub string) near3 key) with (memory or storage or space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L115	14	((patial or split or sub set or subset or substring or sub string) near3 key) with (reduc\$4 or less or conserv\$4 or sav\$3 or minimiz\$4) near6 (memory or storage or space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L116	2	((patial or split or sub set or subset or substring or sub string) near3 key) with (memory or storage or space) and 711/216.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L117	512	partial key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12
L118	9	partial key with hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/24 12:12